



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III
841 Chestnut Building
Philadelphia, Pennsylvania 19107-4431

William C. Smith
Assistant Regional Counsel
Mailcode 3PG11
Tel. 215/597-6507
Fax 215/597-3235

January 30, 1995

Richard Dworek
General Manager - Environmental Affairs and Air Management
U.S. Steel Corporation
600 Grant Street
Pittsburgh, Pennsylvania 15219-2749

Re: January 26, 1995 Notice of Violation Conference
Facility: USX Clairton Works

Dear Mr. Dworek:

I am writing to follow up on the January 26, 1995 telephone conference concerning the Notice of Violation (NOV) issued to US Steel last month. We appreciated the opportunity to discuss with US Steel and Allegheny County officials the causes of and response to the October 4, 1994 venting incident that gave rise to the NOV.

US Steel stated during the conference that it would provide EPA and Allegheny County with a copy of your consultant's report on the venting incident, which will be completed in four to six weeks. Thank you for your willingness to provide this report voluntarily. Along with the report, EPA requests that US Steel summarize the actions that it has taken, and plans to take, to prevent a reoccurrence of this incident.

Please note that EPA reserves its right to pursue additional enforcement actions to address the violations described in the NOV.

Thank you for your consideration.

Sincerely,


William C. Smith
Assistant Regional Counsel

cc: Roger Westman, Allegheny County
Charles Goetz, Allegheny County
David McGuigan, EPA
Michael Ioff, EPA